

HOBART®

DP 3545-20 Direct-Plug-in Spool Gun



For use with IronMan™ 230

243750
January 2017



Includes:

- 20 ft. (6 m) cable lead
- Extra contact tips (.030–.035 in.)
- Enclosed wire spool compartment
- Extra nozzle

300349

Great for aluminum MIG welding to eliminate feeding problems associated with soft aluminum wire. Quick and easy to install on the IronMan 230. For applications requiring extended reach the DP 3545-20 comes with a 20 ft. (6 m) cable lead.

MIG weld 18 ga.–1/2 in. (1.2–12.7 mm) aluminum with the IronMan 230. Also for use with mild and stainless steel wires. Rated 200 amps at 60% duty cycle.


Applications:

- Aluminum Fabrication/Repair
- Trailer Fabrication/Repair
- Auto and Marine Repair
- Sign Manufacturing

Hobart DP 3545-20 Spool Gun is warranted for 1 year (90 days for industrial use).



Features and Benefits



Specifications (SUBJECT TO CHANGE WITHOUT NOTICE.)

USE WITH IRONMAN 230.

Welding Output Rating	Electrode Wire Diameter Capacity	Wire Speed	Spool Size Capacity	Dimensions	Net Weight with Cable Assembly
200 A at 60% Duty Cycle	.030–.047 in. (0.8–1.2 mm) aluminum, steel and stainless steel	0–1200 IPM (0–30.5 MPM)	4 in. (102 mm)	H: 11-1/2 in. (291 mm) W: 2-1/4 in. (57 mm) L: 8 in. (203 mm)	8 lb. (3.6 kg)

Consumables

Note: DP 3545-20 is shipped with two .030 in., two .035 in., and two .047 in. contact tips.



Contact Tips (5 per package)

199387 For .030 in. (0.8 mm) wire.

199388 For .035 in. (0.9 mm) wire.

199389 For .047 in. (1.2 mm) wire.



Nozzle 199386



Drive Roll (1)
199396 For .047 in. (1.2 mm) wire.

186413 For .030/.035 in. (0.8/0.9 mm) wire.



Push Roll (1)
199397 For .047 in. (1.2 mm) wire.

186414 For .030/.035 in. (0.8/0.9 mm) wire.

Typical Installation for DP 3545-20 Spool Gun to IronMan™ 230

It's quick and easy to install the DP 3545-20 spool gun on the IronMan™ 230. Just plug the power pin of the spool gun into the feedhead, attach the trigger lead and flip the switch on the inside panel for spool gun operation. Install the correct wire and gas for the job and its ready to go.

